Bremelanotide PT-141

Sexual health treatment booster for both men and women

Benefits of Bremelanotide PT-141

- ► Treats sexual dysfunction in both men and women
- Increases sexual desire via the central nervous system, does NOT act upon the vascular system
- Male patients treats erectile dysfunction, impotence and premature ejaculation
- ► Female patients improves libido, sexual arousal dis-order and enhances blood flow, and a 70% more orgasmic experience during sexual activity
- ► No cortisol/ACTH increase or prolactin spikes
- ► No appetite stimulation reported
- ▶ No rash or allergic reactions reported



Helps both men and women boost libido and improve overall sex life.

Bremelanotide PT-141 is a peptide used as a treatment for sexual dysfunction in both men and women. In other words, if you are looking to boost your libido and improve your overall sex life, this peptide can help you enormously.

What is Bremelanotide PT-141*

Known as a melanocyte stimulating hormone (MSH), bremelanotide was actually originally created to stimulate the tanning of skin. After several clinical trials, it was discovered that it worked effectively as a remedy for sexual arousal issues like erectile dysfunction in men and low libido levels in women. Results from research studies has shown Bremelanotide PT-141 does not act on the vascular system like other compounds, but works by activating the melanocortin receptors in the brain. It's through this reaction that increases sexual stimulation, it helps to fire up sexual desire in women and can even induce sudden erections in men.



*Can cause nausea post dose with only 8-12% of patients and at most will last 25 minutes.

888.754.1852 info@thebiostation.com





FAQs

- **Q:** Bremelanotide PT-141: What is it?
- **A:** Injectable Bremelanotide PT-141 is a natural Hormone Replacement Therapy medication for patients with Human Growth Hormone Deficiency. Bremelanotide PT-141 is a peptide melanocortin receptor agonist as a treatment for male and female sexual dysfunction..
- **Q:** What side effects can I expect from Bremelanotide PT-141?
- **A:** Bremelanotide PT-141 can cause nausea post dose with only 8-12% of patients and at most will last 25 minutes...
- **Q:** How long does it take for Bremelanotide PT-141 Therapy for HGH deficiency to produce results?
- A: It takes a four to five hours after the first dose of Bremelanotide PT-141 to see results.
- **Q:** How Is Bremelanotide PT-141 Therapy administered?
- A: Bremelanotide PT-141 is administered with Subcutaneous Injection (or SubQ Injection). SubQ Injections are delivered using a short, thin needle known as an insulin needle, and the needle is injected just underneath the skin in the subdermal layer. Generally, these injections are placed in the stomach or hip. Bremelanotide PT-141 injections are administered once or twice per week or as directed by a phycisian.
- **Q:** Will I need to alter my daily routine in any way?
- **A:** There is no need to alter your normal routine. You can, however, enhance the effects of treatment through a healthy lifestyle, diet and regular exercise. We will work with you and support, encourage, and educate you on making these healthier choices.
- **Q:** Are there any medical problems that would prohibit me from taking Bremelanotide PT-141?
- **A:** Before you begin therapy, you will be given a thorough evaluation by our experienced medical team to ensure that you're a viable candidate for treatment.

